victuoso





victuoso



Box-in-a-Box cabinet system;
Bi-Wiring WBT Nextgen binding posts;
Dual High-Flow bass reflex;



AHC - Adjustable Harmonics Crossover
Three different crossovers
in one speaker for three
different listening experiences;



Mini-Horn is introduced to enhance tweeter performance by lowering distortions and raising efficiency in critical region;



Extended-Band-Midrange.
Designed in-house state of the art midrange unit ensures 500-7000Hz band. Most information comes from a single point source with virtually no phase or crossover distortions which is present in ordinary designs;





Standard Xirallic High Gloss color options





Pearl White



Siluer Grey



Zink Grey



Block





Recommended Custom Xirallic High Gloss color options





British Racing Green Glacier Blue Gold Ice Blue Lemon



victuoso





UIRTUOSO S UIRTUOSO M

	100 100 100 100 100
Maximum unclipped power handling	260 W
Nominal power handling	130 W
Frequency response (in-room)	26-30000Hz
Sensitivity (2.83V @ 1m)	91.5 dB
Nominal impedance	4 ohms
Crossover frequency	500H <u>z;</u> 7000Hz
Drivers 1x 3cm silk	k dome tweeter
1x 13.2cm Hard Pulp Paper Midrange	
2x 16.5cm Hard Pulp Paper Bass drivers	
Dimensions (hxwxd) 1130mm x 39	1mm x 547mm
Weight each	50 kg
Shipping weight each	80 kg

Maximum unclipped power handling	340 W
Nominal power handling	170 W
Frequency response (in-room)	25-30000Hz
Sensitivity (2.83V @ 1m)	92 dB
Nominal impedance	4 ohms
ossover frequency 500Hz; 7000Hz	
Drivers 1x 3cm silk	dome tweeter
1x 16.5cm Hard Pulp Paper Midrange	
2x 19cm Hard Pilp Paper Bass drivers	
Dimensions (hxwxd) 1240mm x 444i	mm x 621mm
Weight each	75 kg
Shipping weight each	120 kg

